




CONSTRUCT CONC SCOUR APRON AT END OF EXIST. S.W. PIPE IN ACCORDANCE WITH DETAIL A AND SHAPE OUTLET DRAIN IN ACCORDANCE WITH DETAIL B AT 1% MIN. GRADE LONGITUDINALLY.




EXTEND S.W. PIPE 7.3 METRES ON LINE OF EXCAVATED TRENCH AT 0.5% MIN. GRADE AND PROVIDE CONC SCOUR APRON IN ACCORDANCE WITH DETAIL A SHAPE OUTLET DRAIN IN ACCORDANCE WITH DETAIL B AT 1% MIN. GRADE LONGITUDINALLY.

EXTEND EXIST. S.W. PIPE SUFFICIENT TO PROVIDE 1 IN 2 1/2 BANK AS SHOWN ON DETAIL A AND PROVIDE CONC SCOUR APRON IN ACCORDANCE WITH DETAIL A SHAPE OUTLET DRAIN IN ACCORDANCE WITH DETAIL B AT 1% MIN. GRADE LONGITUDINALLY.




DETAIL A
NOT TO SCALE

RECOMMENDED PLANTING OF MELALEUCA OR LEPTOSPERMUM SPECIES OR GROUND COVER ROSMARINAFOLIA OR PROSTRATE COTONEASTER.



EXTEND S.W. PIPE AS REQUIRED TO GIVE BATTER SLOPE OF 1 IN 2 1/2



EXISTING EXCAVATED TRENCH APPROX. 300 WIDE

RESHAPE EXIST. TRENCH SIDES TO 1 IN 4 AS SHOWN AND GRADE LONGITUDINALLY AT MIN. 1% TO NATURAL SURFACE. PROVIDE MIN. 100 APPROVED TOPSOIL AND DRY GRASS SEED MIXTURE.

DETAIL B
NOT TO SCALE

PROPOSED MODIFICATIONS TO S.W. OUTLETS AT MANHOLES C12, C15 AND AT HOUSE NO 15

DESIGNED BY: [Signature]
CHECKED BY: [Signature]
DATE: 49-1722

C75748B - SK 8